

FEDERAL MINE SAFETY AND HEALTH REVIEW COMMISSION

1331 PENNSYLVANIA AVENUE, NW, SUITE 520N
WASHINGTON, DC 20004-1710

MAR 28 2017

SECRETARY OF LABOR, :
MINE SAFETY AND HEALTH :
ADMINISTRATION (MSHA) :
 :
 :
 : Docket No. PENN 2016-270-M
v. : A.C. No. 36-00215-404373
 :
 :
ARMSTRONG CEMENT & SUPPLY :
CORPORATION :

BEFORE: Althen, Acting Chairman; Jordan, Young, and Cohen, Commissioners


ORDER

BY THE COMMISSION:

This matter arises under the Federal Mine Safety and Health Act of 1977, 30 U.S.C. § 801 et seq. (2012) (“Mine Act”). The Commission has received a motion from the operator seeking to reopen a penalty assessment which had become a final order of the Commission pursuant to section 105(a) of the Mine Act, 30 U.S.C. § 813(a). The Secretary states that he does not oppose the motion.

Having reviewed movant’s unopposed motion to reopen, we reopen this matter and remand it to the Chief Administrative Law Judge for further proceedings pursuant to the Mine Act and the Commission’s Procedural Rules, 29 C.F.R. Part 2700. Consistent with Rule 28, the Secretary shall file a petition for assessment of penalty within 45 days of the date of this order. *See* 29 C.F.R. § 2700.28.

The granting of this motion is not precedential for the consideration of any other motion before the Commission.




William I. Althen, Acting Chairman



Mary Lu Jordan, Commissioner



Michael G. Young, Commissioner



Robert F. Cohen, Jr., Commissioner

Distribution:

**Daniel Wible, MS, CSP
Safety Director
Armstrong Cement & Supply Corp.
100 Clearfield Rd.
Cabot, PA 16023-9521**

**W. Christian Schumann, Esq.
Office of the Solicitor
U.S. Department of Labor
201 12th St. South, Suite 500
Arlington, VA 22202-5450**

**Chief Administrative Law Judge Robert J. Lesnick
Federal Mine Safety & Health Review Commission
1331 Pennsylvania Ave. N.W., Suite 520N
Washington, DC 20004-1710**

**Melanie Garris
Office of Civil Penalty Compliance
Mine Safety and Health Administration
U.S. Department of Labor
201 12th St. South, Suite 500
Arlington, VA 22202-5450**